

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company.

1.1 Product Identification:

Product Name : DPX Mounting Medium
CAT Number : KEMICAS - relevant catalogue numbers
Reach Number : A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation(EC) No907/2006, the annual tonnage does not require a registration, or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the Substance : Laboratory chemicals, not for food and drug

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier : KEMICAS
Email : info@kemicas.com

1.4: Emergency Telephone number

Emergency Number : +31(0)853012877

Section 2: Hazards Identification

2.1 Classification of the substance or mixture according to Regulation (EG 1272/2008)

Flammable liquid, Category2, H225

Acute toxicity, Oral, Category 4 H302

Aspiration hazard, Category 1, H304

Skin corrosion/irritation, Category 2, H315

Specific target organ toxicity - single exposure, Category 3, H336

Reproductive toxicity, Category 2 H361

Specific target organ toxicity - repeated exposure, Category 2, H373

2.2 GHS Label

GHS-Labeling Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word:

DANGER

Hazard Statements:

- H225** Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements:

- P201** Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges
P260 Do not breathe dust, fume, gas, mist, vapours, spray.
P264 Wash thoroughly after handling
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area
P280 Wear protective gloves, protective clothing, eye protection, face protection.
P321 Specific treatment (see on this label).
P331 Do NOT induce vomiting.

P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. present and easy to do. Continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice, attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

Hazard Pictograms:



Signal word:

DANGER

Section 3: Composition / Information on Ingredients.

3.1 Substance

The substance is a mixture and no components needs to be disclosed.

Section 4: First Aid Measures

4.1 Description of first aid measures

General Advice

First-aid personnel: ensure self-protection!

After inhalation: Fresh air. If breathing stops immediately apply mechanical ventilation, if necessary oxygen mask. Immediately call in physician.

After contact with skin: Wash off with plenty of water. Remove contaminated clothing.

After contact with eyes: Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open.

Immediately call in physician

After ingestion: Never give anything by mouth to an unconscious person. Make the victim drink plenty of water, do not induce vomiting. Call in physician.

4.2 Most Important symptoms and effects, both acute and delayed

Refer to labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

Section 5: Firefighting Measures.

5.1 Extinguishing media

Suitable Extinguishing Media

Use water, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media

Prevent fire-fighting water from entering surface water or groundwater.

5.2 Special hazards arising from substance or mixture

Combustible. Vapours heavier than air. Forms explosive mixtures with air at ambient temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

No data available

Section 6: Accidental Release Measures.

6.1 Personal precautions, protective equipment and emergency procedures

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

For personal protection, see section 8.

6.2 Environmental precautions

Do not allow to enter sewerage system.

6.3 Methods and materials for containment and cleaning up

Absorb on vermiculite, sand or a pillow from Chemical Spill Centre.

6.4 Reference to other sections

No information available

Section 7: Handling and Storage.

7.1 Precautions for safe handling

Keep away from sources of ignition. Take measures to prevent electrostatic charging. Work under hood. Do not inhale substance. For precautions, refer to section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Closed in a well-ventilated place. Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

Section 8: Exposure Controls - Personal Protection.

8.1 Control parameters

No data available

8.2 Exposure controls

Engineering Measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Individual Protection Measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood. Do not inhale substance.

Respiratory Protections

Required when vapours/aerosols are generated. The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Eye Protection

Required. Wear goggles.

Hand Protection

Required. Wear gloves

Body Protection

Required.

Environmental Exposure Controls

Do not allow to enter sewerage system, risk of explosion!

Section 9: Physical and Chemical Properties.

9.1 Information on basis physical

Appearance and Changes in Physical State

Form: Liquid

Color: Colorless

Odour: Specific

Melting point: -

Boiling point: -

Flash point: 12 °C

Ignition temperature: 460 °C

Mol. Weight: - g/mol

Density: 0.945 g/cm³

pH value: 7

Solubility in water: -

Relative density of saturated gas/air mixture: -

Explosion limits: lower 1 vol% / upper 8 vol%

Further information: explosion limits – I

9.2 Other data

No further relevant information available.

Section 10: Stability and Reactivity.

10.1 Reactivity

See section 10.3

10.2 Chemical stability

No further relevant information available.

10.3 Possibility of hazardous reactions

Exposable with air in a vaporous/gaseous state when heated

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

No further relevant information available.

Section 11: Toxicological Information.

11.1 Information on toxicological effects

Acute oral toxicity	: LD50 orl. 906-1,506 mg/kg
Acute inhalation toxicity	: LC50/4 h 31.4-73.3 mg/l.
Acute dermal toxicity	: LD50 3,240-7,560 mg/kg
Skin irritation	: No further relevant information available.
Eye irritation	: No further relevant information available
Sensitisation	: No further relevant information available.
Germ cell mutagenicity	: No further relevant information available.
Carcinogenicity	: No further relevant information available.
Reproductive toxicity	: No further relevant information available.
Teratogenicity	: No further relevant information available
Specific target organ toxicity - single exposure	: No further relevant information available.
Specific target organ toxicity - repeated exposure	: No further relevant information available.
Aspiration hazard	: No further relevant information available.

11.2 Further information

Handle in accordance with good industrial hygiene and safety practice.

Section 12: Ecological Information.

12.1 Toxicity

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bio accumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

No further relevant information available.

12.6 Other adverse effects

Do not allow to enter waters, wastewater, or soil!

Section 13: Disposal Considerations.

Product : Chemicals must be disposed of in compliance with the respective national regulations.

Packaging : KEMICAS product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

Section 14: Transport Information.

Land Transport (ADR/RID)

- 14.1 UN number : UN 1992
- 14.2 Proper shipping name : DPX Mounting Medium
- 14.3 Class : 3 (6.1)
- 14.4 Packing : Group II
- 14.5 Environmentally hazardous : -
- 14.6 Special precautions for user : No
- 14.7 Tunnel restriction code : (-)

Inland waterway transport (ADN)

Not relevant

Air Transport (IATA)

- 14.1 UN number : UN 1992
- 14.2 Proper shipping name : DPX Mounting Medium
- 14.3 Class : 3 (6.1)
- 14.4 Packing : Group II
- 14.5 Environmentally hazardous : -

14.6 Special precautions for user : No

Sea Transport (IMDG)

14.1 UN number : UN 1992

14.2 Proper shipping name : DPX Mounting Medium

14.3 Class : 3 (6.1)

14.4 Packing : Group II

14.5 Environmentally hazardous : -

14.6 Special precautions for user : No

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

Section 15: Regulatory Information.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For this product, an assessment was not carry out.

15.2 Chemical Safety Assessment

For this product, an assessment was not carry out.

Section 16: Other Information.

The information and recommendations in this SDS are to the best of KEMICAS knowledge, information and belief. KEMICAS cannot be held responsible for any damage resulting from any possible error in this publication.

Full text of H-Statements and R-phrases referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes severe skin burns and eye damage.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Exposure Scenario 1 (Industrial Use)

1. Industrial use Reagent for analysis, (Chemical production)

Sectors of end-use

SU 3 : Industrial uses: Uses of substances as such or in preparations at industrial sites

SU 9 : Manufacture of fine chemicals

SU10 : Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC19 : Removed from PC list and relocated in the technical function list (Table R.12- 15)24.

PC21 : Laboratory chemicals

Process categories

PROC 1 : Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC 2 : Chemical production or refinery in closed

PROC 2 : Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 3 : Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC 4 : Chemical production where opportunity for exposure arises

PROC 5 Mixing or blending in batch processes

PROC 8a : Transfer of substance or mixture (charging and discharging) at non- dedicated facilities 26

PROC 8b : Transfer of substance or mixture (charging and discharging) at dedicated facilities26

PROC 9 : Transfer of substance or mixture into small containers (dedicated filling line, weighing)

PROC10 : Roller application or brushing

PROC15 : Use as laboratory reagent

Environmental Release Categories

ERC 1 : Manufacture of the substance

ERC 2 : Formulation into mixture

ERC 4 : Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 6a : Use of intermediate

ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

Exposure Scenario 2 (Professional Use)

1. Industrial use Reagent for analysis, (Chemical production)

Sectors of end-use

SU22 : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

PC21 : Laboratory chemicals

Process categories

PROC15 : Use as laboratory reagent

Environmental Release Categories

ERC 2 : Formulation into mixture

ERC 6a : Use of intermediate

ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

Disclaimer:

The information above is believe to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall KEMICAS be liable for any claims, losses, or damages of any third party or for lost profits or any indirect, incidental, consequential or exemplary damages, howsoever arising, even if KEMICAS has been advise of the possibility of such damages.